

Inside Divider Outside Divider Divider Outside Divider Inside Divider Steel Scriber

With Spring



SL156-01

Model No.	Size
	mm
SL156-01-3	200
SL156-01-4	300
SL156-01-5	400
SL156-01-6	500
SL156-01-7	600

With Spring



SL157-01

Model No.	Size
	mm
SL157-01-3	200
SL157-01-4	300
SL157-01-5	400
SL157-01-6	500
SL157-01-7	600

With Spring



SL158-01



SL158-02

Model No.	Size
	mm
SL158-01-2	150
SL158-01-3	200

Model No.
SL159-01



SL158-03

Model No.	Size
	mm
SL158-02-6	500
SL158-02-7	600
SL158-02-8	1000
SL158-03-6	500
SL158-03-7	600
SL158-03-8	1000




SL159-01

Metric Feeler Gauge



Model No.	Range	Size	Quantity
	mm	mm	Pcs.
SL215-01	0.02 - 1.00	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.00	17

Radius Gauge



Model No.	Range	Size	Concave	Convex
	mm	mm	Pcs.	Pcs.
SL216-01	1 - 7	1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7	17	17
SL216-02	7.5 - 15	7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15	16	16
SL216-03	15.5 - 25	15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25	15	15

Pitch Gauge



Model No.	Range	Thread	Size	Quantity
	mm	Type	mm	Pcs.
SL217-01	0.25 - 6.0	Metric 60°	0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1, 1.25, 1.5, 1.75, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6	24


Vernier Calipers




SL10-01, 02




SL10-03, 04, 05, 06




Model No.	Range	Reading	a	b	c	d	L
	mm / in	mm / in	mm	mm	mm	mm	mm
SL10-01	0-150 / 6	0.05 / 1/128	40	21	15	16	230
SL10-02	0-150 / 6	0.02 / 1/1000	40	21	15	16	230
SL10-03	0-200 / 8	0.05 / 1/128	47	22	17	16	300
SL10-04	0-200 / 8	0.02 / 1/1000	50	24	20	16	300
SL10-05	0-300 / 12	0.05 / 1/128	60	27	21	18	415
SL10-06	0-300 / 12	0.02 / 1/1000	60	28	23	18	415



Model No.	Range	Reading
	mm / in	mm / in
SL10-07	0-500 / 20	0.05 / 1/128
SL10-07B	0-600 / 24	0.05 / 1/128
SL10-08	0-1000 / 40	0.05 / 1/128
SL10-09	0-1500 / 60	0.05 / 1/128
SL10-10	0-2000 / 80	0.05 / 1/128
SL10-11	0-3000 / 120	0.05 / 1/128




SL12-01, 03, 05



**Stainless Steel
Quality Guarantee**




SL12-07, 07B, 08



Model No.	Range	Reading	Accuracy	L1	L2
	mm / in	mm	mm	mm	mm
SL12 - 01	0-150 / 6	0.05	0.05	40	17
SL12 - 03	0-200 / 8	0.05	0.05	46	48
SL12 - 05	0-300 / 12	0.05	0.08	64	22
SL12 - 07	0-500 / 20	0.05	0.08	150	10
SL12 - 07B	0-600 / 24	0.05	0.10	150	20
SL12 - 08	0-1000 / 40	0.05	0.10	150	20

Dial Calipers



Model No.	Range	Reading	a	b	c	d	L
	mm	mm	mm	mm	mm	mm	mm
SL20-01	0-150	0.02	40	20	16	16	235
SL20-02	0-200	0.02	50	25	20	16	290
SL20-03	0-300	0.02	60	30	24	18	415


Digital Calipers



SL30-01, 02, 03




SL30-04



Model No.	Range	Reading	A	B	C	D	G
	mm / in	mm / in	mm	mm	mm	mm	mm
SL30-01	0-150 / 0-6	0.01 / 0.001	237	78	16	41	16
SL30-02	0-200 / 0-8	0.01 / 0.001	290	87	19	47	16
SL30-03	0-300 / 0-12	0.01 / 0.001	410	110	21	64	18
SL30-04	0-600 / 0-24	0.01 / 0.001	770	125	-	100	24

Digital Calipers (Water Proof, High Precision)



Model No.	Range	Reading	A	B	C	D	G
	mm / in	mm / in	mm	mm	mm	mm	mm
SL35-01	0-150 / 0-6	0.005 / 0.0005	235	76	15	40	16
SL35-02	0-200 / 0-8	0.005 / 0.0005	287	90	19	50	16

Vernier Depth Calipers




Model No.	Range	Reading
	mm	mm
SL40-01	0-200	0.02
SL40-02	0-300	0.02

Depth Micrometer




Model No.	Range	Reading
	mm	mm
SL45-01	0-100	0.01

Outside Micrometer (Ratchet stop, Painted frame)




Model No.	Range	Reading	Accuracy	A	B	C	L
	mm	mm	mm	mm	mm	mm	mm
SL50-01	0-25	0.01	0.004	3.5	6	24	32
SL50-02	25-50	0.01	0.004	3.5	8	32	57
SL50-03	50-75	0.01	0.005	3.5	8	45	82
SL50-04	75-100	0.01	0.005	3.5	8	57	107

Outside Micrometer (Ratchet friction thimble, Chrome-plated frame)




Model No.	Range	Reading	Accuracy	A	B	C	L
	mm	mm	mm	mm	mm	mm	mm
SL51-01	0-25	0.01	0.004	3.5	6	24	32
SL51-02	25-50	0.01	0.004	3.5	8	32	57
SL51-03	50-75	0.01	0.005	3.5	8	45	82
SL51-04	75-100	0.01	0.005	3.5	8	57	107

Outside Micrometer Sets




Model No.	Range	Reading	Accuracy	A	L
	mm	mm	mm	mm	mm
SL52-01	0-100	0.01	0.005		
SL52-02	100-200	0.01	0.007	114	208
SL52-02-1	150-300	0.01	0.009	165	308
SL52-03	200-300	0.01	0.009	165	308
SL52-04	300-400	0.01	0.011	409	224

Digital Outside Micrometer




Model No.	Range	Reading	Accuracy	A	B	C	L
	mm	mm	mm	mm	mm	mm	mm
SL69-01	0-25	0.001	0.004	3	5.5	24	31
SL69-02	25-50	0.001	0.004	3	7	27	56
SL69-03	50-75	0.001	0.005	3	7	41	81.5
SL69-04	75-100	0.001	0.005	3	7	54	107

Digital Outside Micrometer (Water Proof IP54, High Precision)




Model No.	Range	Reading	Accuracy	B	D	C	L
	mm	mm	mm	mm	mm	mm	mm
SL70-01	0-25	0.001	0.002	6	3	24	32
SL70-02	25-50	0.001	0.002	8	3	32	57
SL70-03	50-75	0.001	0.003	8	3	45	82
SL70-04	75-100	0.001	0.003	10	3	57	107

Tube Micrometer




Model No.	Range	Reading	Accuracy
	mm	mm	mm
SL71-01	0-25	0.01	0.004

Disk Micrometer




Model No.	Range	Reading	Accuracy	A	B	L	D	S	d
	mm	mm	mm	mm	mm	mm	mm	mm	mm
SL72-01	0-25	0.01	0.004	8	32	43	20	0.7	8
SL72-02	25-50	0.01	0.004	8	44.5	68	20	0.7	8

Gear Micrometer (With Interchangeable Tips)



Model No.	Range	Reading	Accuracy	D	Module	Pitch
	mm	mm	mm	mm	mm	mm
SL73-01	0-25	0.01	0.004	1	0.6-0.65	45
				1.5	0.9-1.0	28-26
				2	1.25	22
				2.5	1.5	17
SL73-02	25-50	0.01	0.004	3	1.75	15
				3.5	2	13
				4	2.25	11
				4.5	2.5	10

Deep Throat Micrometer




Model No.	Range	Reading	Accuracy	Throat Depth
	mm	mm	mm	mm
SL74-01	0-25	0.01	0.003	100
SL74-02	0-25	0.01	0.004	150
SL74-03	0-25	0.01	0.005	300

Micrometer Stand




Model No.
SL75-01

Inside Micrometer




Model No.	Range	Reading	Accuracy
	mm	mm	mm
SL80-01	5-30	0.01	0.005
SL80-02	25-50	0.01	0.006
SL80-03	50-75	0.01	0.007
SL80-04	75-100	0.01	0.008

Digital Inside Micrometers





Model No.	Range	Reading	Accuracy
	mm	mm	mm
SL82-01	5-30	0.01	0.005
SL82-02	25-50	0.01	0.006

Three-Point Internal Micrometers Set



Model No.	Range	Reading	Accuracy	Setting Rings	Extension	A	L1
	mm	mm	mm	mm	mm	mm	mm
SL90-01	6-8	0.001	0.004	8	100	0.5	53.5
	8-10	0.001	0.004	8		0.5	53.5
	10-12	0.001	0.004	10		0.5	53.5
SL90-02	12-16	0.005	0.004	16	150	0.5	80
	16-20	0.005	0.004	16		0.5	80
SL90-03	20-25	0.005	0.004	25	150	0.5	90
	25-30	0.005	0.004	25		0.5	90
	30-40	0.005	0.004	40		0.5	97
	40-50	0.005	0.005	40		0.5	97
SL90-04	50-63	0.005	0.005	62	150	0.5	114
	62-75	0.005	0.005	62		0.5	114
	75-88	0.005	0.005	87		0.5	114
	87-100	0.005	0.005	87		0.5	114

Digital Three-Point Internal Micrometers Set



Model No.	Range	Reading	Accuracy	Setting Rings	Extension	A	L1
	mm	mm	mm	mm	mm	mm	mm
SL92-02	12-16	0.001	0.004	16	150	0.5	79.5
	16-20	0.001	0.004	16		0.5	79.5
SL92-03	20-25	0.001	0.004	25	150	0.5	104.5
	25-30	0.001	0.004	25		0.5	104.5
	30-40	0.001	0.004	40		0.5	110
	40-50	0.001	0.005	40		0.5	110



Gauge Block Set 87 Pcs

Model No.	Grade	Size	Step	Block	Weight
		mm	mm	pcs	kg
SL94-01	1	1.001 - 1.009	0.001	9	2.9
		1.01 - 1.49	0.01	49	
SL94-02	0	0.5 - 9.5	0.5	19	2.9
		10 - 100	10	10	

Gauge Block Separated Pcs

Model No.	Grade	Size mm
SL96-01	1	1
SL96-02	1	5
SL96-03	1	10
SL96-04	1	20
SL96-05	1	50
SL96-06	1	100
SL96-07	1	200
SL96-08	1	300
SL96-09	1	400




Ring Gauge

Model No.	Range	Reading
	mm	mm
SL98-01	10,20,30	0.001
SL98-02	40,50	0.001
SL98-03	75	0.001
SL98-04	100	0.001




Vernier Height Gauge With Magnifier




Model No.	Range	Reading	Accuracy	B	L	H
	mm / in	mm / in	mm	mm	mm	mm
SL100-01	0-300 / 12	0.02 / 0.001	0.03	87	125	540
SL100-02	0-500 / 20	0.02 / 0.001	0.05	110	170	760
SL100-03	0-600 / 24	0.02 / 0.001	0.05	110	170	865

Dial Height Gauge (Double Column)




Model No.	Range	Reading	Accuracy	B	L	H
	mm	mm	mm	mm	mm	mm
SL110-01	0-300	0.01	0.04	90	135	475
SL110-02	0-600	0.01	0.05	120	180	810

Digital Height Gauge



Model No.	Range	Reading	Accuracy	B	L	H
	mm / in	mm / in	mm	mm	mm	mm
SL120-01	0-300 / 12	0.01 / 0.0005	0.04	90	132	480
SL120-02	0-600 / 24	0.01 / 0.0005	0.05	120	180	810

Digital Height Gauge (Double Column)



Model No.	Range	Reading	Accuracy	B	L	H
	mm / in	mm / in	mm	mm	mm	mm
SL122-01	0-300 / 12	0.01 / 0.0005	0.04	90	134	475
SL122-02	0-600 / 24	0.01 / 0.0005	0.04	120	180	810

Granite Inspection Plate (Grade 00)



Model No.	Size	Accuracy	Weight
	mm	mm	kg
SL125-01	600 x 450 x 100	0.004	95
SL125-02	750 x 500 x 130	0.005	130
SL125-03	1000 x 750 x 150	0.007	350
SL125-04	1500 x 1000 x 200	0.009	960
SL125-05	2000 x 1000 x 200	0.013	1300

Cast Iron Surface Plate (Grade 0)



Model No.	Size	Accuracy	Weight
	mm	mm	kg
SL126-01	600 x 400 x 100	0.02	50
SL126-02	900 x 600 x 100	0.03	150

Granite V-Block (Grade 0)



Model No.	Size
	mm
SL125C-01	40X90°
SL125C-02	63X90°
SL125C-03	100X90°

Measuring Stand (Grade 0)



Model No.	Size
	mm
SL125D-01	150X100X40
SL125D-02	200X150X50
SL125D-03	300X200X50

Measuring Stand (Grade 0)



Model No.	Size
	mm
SL125E-01	150X100X40
SL125E-02	200X150X50
SL125E-03	300X200X50

Magnetic Base



SL162-01



SL162-02



SL162-03



SL162-04

Precision Type Mechanical Arm

Precision Type Hydraulic Arm

Model No.	Arm	Magnetic Power	Arm Length	Base Dimension			Weight
		kgf	mm	L (mm)	W (mm)	H (mm)	kg
SL162-01	Mechanical	80	345	60	50	55	1.7
SL162-02	Mechanical	80	275	60	50	55	1.5
SL162-03	Hydraulic	80	340	60	50	55	2
SL162-04	Hydraulic	80	255	60	50	55	1.4



SL162-05



SL162-06



SL162-07



SL162-08

Economic Type Mechanical Arm

Mini Type

Model No.	Arm	Magnetic Power	Tapped Hole	Arm Length	Base Dimension			Weight
		kgf		mm	L (mm)	W (mm)	H (mm)	kg
SL162-05	Mechanical	80	-	340	60	50	55	1.6
SL162-06	Mechanical	80	-	300	60	50	55	1.4
SL162-07	Mechanical	30	M8 x 1.25	131	Ø40 x 30			0.4
SL162-08	Mechanical	25	M8 x 1.25	131	35	30	35	0.4



SL160-01



SL160-02

Magnetic Base

Model No.	Type	Magnetic Power
		Kgf
SL160-01	Standard	80
SL160-02	Mechanical	80

Dial Indicator



Model No.	Range	Reading
	mm	mm
SL170-01	0-10	0.01
SL170-02	0-25	0.01
SL170-03	0-1	0.001

Dial Indicator (Shock Proof, High Precision, 6 Jeweled)



Model No.	Range	Reading
	mm	mm
SL172-01	0-10	0.01

Digital Indicator



Model No.	Range	Reading	Accuracy
	mm	mm	mm
SL175-01	0-10	0.01	0.02

Level Test Indicator



SL180-01



SL180-02

Model No.	Range	Reading
	mm	mm
SL180-01	0-0.8	0.01
SL180-02	0-0.2	0.002

Bore Gauge




Model No.	Range	Reading	Depth
	mm	mm	mm
SL190-01	6-10	0.01	40
SL190-02	10-18	0.01	100
SL190-03	18-35	0.01	125
SL190-04	35-50	0.01	150
SL190-05	50-160	0.01	150
SL190-06	160-250	0.01	400
SL190-07	250-450	0.01	400

Dial Thickness Gauge




Model No.	Range	Reading
	mm	mm
SL210-01	0-10	0.01

Inside Dial Caliper Gauge



Model No.	Range	Reading	Accuracy	A	B	L	R
	mm	mm	mm	mm	mm	mm	mm
SL200-01	10-30	0.01	0.03	2	3.5	80	0.5
SL200-02	20-40	0.01	0.03	3	6.5	80	0.5
SL200-03	30-50	0.01	0.03	3	8.5	80	0.5
SL200-04	40-60	0.01	0.03	3	8.5	80	0.5

Inside Digital Caliper Gauge



Model No.	Range	Reading	Accuracy	A	B	L	R
	mm	mm	mm	mm	mm	mm	mm
SL205-01	10-30	0.01	0.03	2	3.5	80	0.5
SL205-02	20-40	0.01	0.03	3	6.5	80	0.5
SL205-03	30-50	0.01	0.03	3	8.5	80	0.5
SL205-04	40-60	0.01	0.03	3	8.5	80	0.5



Frame Balance Level

Model No.	Size	Accuracy
	mm	mm
SL127-01	200 X 200	0.02 / 200
SL127-02	250 X 250	0.02 / 250
SL127-03	300 X 300	0.02 / 300

Precision Balance Level

Model No.	Size	Accuracy
	mm	mm
SL128-01	200	0.02 / 200
SL128-02	300	0.02 / 300



Knife Edged Square 90°



Model No.	Size	Grade
	mm	mm
SL130-01	75 X 50	0
SL130-02	100 X 70	0
SL130-03	150 X 100	0
SL130-04	200 X 130	0
SL130-05	300 X 200	0

Flat Edged wide base Square 90°




Model No.	Size	Grade
	mm	mm
SL135-02	100 X 70	1
SL135-03	150 X 100	1
SL135-04	200 X 130	1
SL135-05	300 X 200	1


Less Parallax Universal Bevel Protractor



Model No.	Range	Reading	Accuracy
SL140-01	0 - 360°	5'	5'



Combination Square Set Protractor



Model No.	Range	Reading	Accuracy
SL150-01	0 - 180°	10'	10'



Steel Protractor

Model No.	Range	Reading	Accuracy
SL155-01	0 - 170°	5'	5'

Digital Readouts SDS6 Series



SDS6-2V

SDS6-3V



Model No.	Specification
SDS6-2V	Input signal : TTL square wave
SDS6-3V	Resolution : 5µm, 1µm, 10µm

KA Series Sealed Linear Encoders

KA-600

KA-300

KA-500



ลิเนียร์สเกล 1 แกน ราคาไม่รวม จอดิจิตอล

Model No.	Series	Size	Reading
		mm	mm
SL250-027	KA-500	270	0.005
SL250-030	KA-500	320	0.005
	KA-300	320	0.005
SL250-040	KA-300	420	0.005
	KA-300	470	0.005
SL250-060	KA-300	620	0.005
	KA-300	820	0.005
SL250-080	KA-300	870	0.005
	KA-300	1020	0.005
SL250-1000	KA-300	1020	0.005
SL250-1200	KA-600	1200	0.005
SL250-1600	KA-600	1600	0.005
SL250-2000	KA-600	2000	0.005

ลิเนียร์สเกล 2 แกน ราคารวม จอดิจิตอล 2 แกน

Size	Reading
mm	mm
600 x 300	0.005
800 x 400	0.005
1000 x 270 (300)	0.005
1000 x 400 (600)	0.005
1600 x 800	0.005
2000 x 1000	0.005
3000 x 1500	0.005

ลิเนียร์สเกล 3 แกน ราคารวม จอดิจิตอล 3 แกน

Size	Reading
mm	mm
800 x 400 x 400	0.005
1000 x 800 x 600	0.005
1600 x 1000 x 800	0.005